



PANTHERA S Binocular



Optical System Colour Corrected Infinity Optical System (CCIS®)

Observation Tube Binocular head, Siedentopf type

Interpupillary distance (mm) 48-75

Inclination 25° inclined, 360° rotatable (storage saving), 360° swivelling

Eyepieces N-WF10X/20

Eyepieces diopter adjustment +/- 5 dpt

Nosepiece Reversed quadruple

Objective classification Plan SC

Objectives 4X/0.1 (WD 15.5mm), 10X/0.25 (WD 17.4mm), 40X/0.65/S (WD 0.6mm),

100X/1.25/S-Oil (WD 0.14mm)

Objective mounting thread W 4/5" x 1/36" (RMS standard)

Stage Mechanical stage

 Stage size (mm)
 140x135

 Travel range X&Y (mm)
 75x50

Upper limit stop Preset; adjustable

Condenser N.A. 0.90 / 1.25 Abbe condenser with slider slot

Focus mechanism Coaxial; tension adjustment

Minimum fine focus precision (µm) 2

Z-axis movement (mm) 25

Illumination type 0.5W LED, fixed Koehler

Illumination features Nosepiece LED light intensity indicator

Connectivity USB for external camera power

Power supply 110-240V (CE)

Accessories included Immersion oil 5ml, power cord, dust cover, allen key

Dimensions L x W x H (mm) 282x210x395

Weight (Kg) 7,7